

Search turf

[Home](#) [Turf Help](#) [Educational Programs](#) [Research](#) [Prospective Students](#) [News](#)  
[Personnel](#) [Alumni](#) [About Us](#)

## **Synthetic (Artificial) Turf vs. Natural Grass Athletic Fields**

With the increasing popularity of youth sports, especially soccer, and the necessity for building more and more athletic fields, many communities are considering constructing synthetic (or artificial turf) athletic fields. Even the Arkansas Razorbacks are considering the move as outlined in a recent article published on January 17, 2009 in the Arkansas Democrat Gazette by Tim Murphy titled “Artificial surface is coach’s desire.” Yesterday’s artificial turf is much different than today’s synthetic in-fill systems in that the new in-fill technology creates a field that looks much more like the real thing (natural grass). The purpose of this turf tip is to provide some additional information regarding synthetic fields so that you’ll be more informed the next time your community is considering a switch from natural grass to artificial.

### *Maintenance*

It is a myth that synthetic fields require less maintenance than natural turfgrass fields or to say that artificial turf fields are maintenance free. Synthetic fields require 1) additional infill, 2) irrigation because of unacceptably high temperatures on warm-sunny days, 3) chemical disinfectants, 4) sprays to reduce static cling and odors, 5) drainage repair and maintenance, 6) erasing and repainting temporary lines, and 7) removing organic matter accumulation. In a recent presentation by the Michigan State University, Certified Sports Turf Manager, she cited that the typical annual maintenance costs of her artificial turf fields ranged from \$13,720-\$39,220, while the typical annual maintenance costs of her natural turf fields had a similar range of \$8,133-\$48,960 (1).

### *Long-term costs*

Long-term costs are less with natural turf fields compared to synthetic turf fields. Artificial fields need replacing every 8-10 years, whereas a natural turf field does not need as frequent renovation and can be renovated at a much reduced price compared to an artificial field. In a 16-year scenario, Fresenburg came up with an annual average cost for each field type as follows: the natural soil-based field, \$33,522; the sand-cap grass field, \$49,318; the basic synthetic field, \$65,846; and the premium synthetic field, \$109,013 (2).

### *Disposal costs*

When artificial turf (in-fill systems) needs renovating every 8-10 years, there is a hidden cost of disposal. Because the field is filled and top-dressed with a crumb rubber material (typically made from ground automobile tires), the material may require special disposal. Disposal costs are estimated at \$130,000 plus transportation and landfill charges (3).

### *Warranty concerns*

Artificial turf (in-fill type) is a relatively new product. As such, its complete life span and maintenance requirements are not fully known. When considering the purchase of one of these systems, the answer to several questions should be researched prior to purchase. These questions include (adapted from *Natural Grass and Artificial Turf: Separating Myths and Facts*)(3):

- Will the artificial turf manufacturing and installation company provide a warranty specifying the expected life of the product?
- Will the selling firm provide a warranty bond for the life of the product? This will ensure that there is some legitimate recourse in the event of a product failure even if the seller is no longer in business.
- What is the longest period of time the artificial field being specified has been in use at another school, college, or university?
- What conditions or maintenance practices will void the field's warranty?
- Does a single warranty cover all aspects of the artificial field's soil base preparation, base materials, artificial turf materials, etc; will there be separate warranties and warranty voiding conditions for each element, some of which could contravene each other?
- What is the minimum and maximum financial investment in specialized equipment that must be purchased to maintain the artificial field at a level that will provide maximum playing conditions and maintain the warranty?
- What level of technical training is supplied, recommended, or required for the maintenance crew in order to properly maintain the area and the warranty conditions?
- What are the warranty requirements or recommended processes to address each of the following repair or replacement demands of the artificial surface:
  - Damage caused by fire? Large and small areas.
  - Damage caused by vandalism?
  - Discoloration of areas caused by wear pattern differences?
  - Replacement of areas caused by wear or other physical or weather-related damage?

### *Player preference*

A recent survey of 1,511 active NFL players by the NFL players association found that 73% of the players preferred playing on a natural grass system, while only 18% preferred artificial turf (4). Nine-percent of the players had no preference.

### *Player injuries*

There is a lack of research comparing injuries incurred on new in-fill artificial fields vs. natural grass fields (5). There are data indicating that the traditional artificial turf fields increased athlete injury, primarily due to increased surface hardness. Although actual data are not available, anecdotal data are available from NFL players. Players were asked in a 2006 survey "Which surface do you think causes more soreness and fatigue to play on?". Five-percent felt like natural grass systems increased fatigue, while 74% felt that artificial turf systems were more responsible for fatigue (5). Twenty-

one percent felt they were the same. In the open comments section of the survey, the most common comment was “make all fields grass to prevent injuries.”



### *Potential increases in infections*

An aspect of synthetic turf that is now receiving increased scrutiny is the potential for increased incidences of infections among players that play primarily on in-fill systems. In a report titled “Texas Football Succumbs to Virulent Staph Infection From Turf”, at least 276 football players were reported to be infected with an antibiotic-resistant staph infection, a rate of 517 for each 100,000 individuals (6). The [U.S. Centers for Disease Control and Prevention](#) in Atlanta reported a rate for the general population of 32 in 100,000. These infections were primarily associated with increased skin abrasions associated with synthetic turf and the risk of infection that might occur off the field from infections. In-fill systems must now be routinely treated with special disinfectants to reduce the likelihood of infections, adding another cost to the maintenance of these fields.

### *High temperatures*

Artificial fields cannot be played on all the time due to temperature build-up on warm-sunny days. Artificial field surface temperatures have been documented as high as 199°F on a sunny day with an air temperature of 98°F (7). Researchers at Brigham Young University reported that the surface temperature of a synthetic football field on campus averaged 117°F, with a daily high of 157°F (8). On an adjacent natural grass field the surface temperature averaged 78°F, with a daily high of 89°F. Researchers at Penn State University studied the effect of using irrigation to reduce surface temperatures of synthetic fields and discovered that temperature could be decreased with irrigation, but the effects were short-lived (20 minutes) (9). Because of these high temperatures, an artificial field will remain largely unusable during warm days. Additionally, practicing on an artificial field could increase the incidence of heat stroke, muscle cramping, and overall athlete fatigue. Coaches holding practices on synthetic fields will need to monitor athlete health more closely and will need to limit the duration of practices on these surfaces to reduce the risk of athlete injury.

The images below comparing air, water, bermudagrass, sand, asphalt, and synthetic turf surface temperatures illustrate how hot a synthetic field can reach during a warm day.



Photos courtesy L.B. McCarty, Clemson University

### Going green

With continuing efforts to increase the sustainability of all of our communities, a synthetic turf is a move in the wrong direction. Synthetic fields do not require fertilizer or

pesticides, which may make them seem environmentally friendly but keep in mind the following:

- Synthetic fields are made of plastic and then in-filled with pulverized rubber particles instead of plants as on a natural grass field.
- Both the synthetic turf and the rubber must be disposed of when the field reaches its life capacity (8-10 yrs). Natural grass fields require renovation less frequently with much reduced renovation costs.
- Synthetic fields do not cool the environment like natural turf.
- Synthetic fields and natural grass fields have similar irrigation requirements since both need irrigation in warmer months and little to no irrigation in cooler months.
- Synthetic fields do not help to filter air and water pollutants.
- Synthetic fields do not fix CO<sub>2</sub> (carbon-dioxide) and release O<sub>2</sub> (oxygen) as do natural grass fields.
- The net carbon loss for a synthetic field is high, whereas a natural grass field will have a net carbon gain despite the need for fertilizer and some pesticide inputs to maintain a natural grass.

I don't dispute that there are certain situations in which an artificial field might be an appropriate choice and I don't disregard a coach's preference. We also do not dispute that an artificial field could host more events each year, which could be beneficial in certain situations. I simply wanted to write this turf tip to provide some additional information about artificial turf fields that you are not likely to get from companies who supply these products. Please take a look at the references below for more information about synthetic athletic fields.

Aaron Patton

#### **References:**

- Fouty, Amy. "A Sport Field Manager's Perspective: Synthetic Turf Considerations, Maintenance Costs and Concerns" May 11, 2005 presentation at the Synthetic Turf Infill Seminar, Detroit, Michigan. Reviewed by Lynn Brakeman in "Experts Spell Out True Cost of Synthetic Turf Maintenance." Athletic Turf News, May 24, 2005.
- Adamson, C. 2008. Synthetic Turfgrass Costs Far Exceed Natural Grass Playing Fields. Available at: <http://cafnr.missouri.edu/research/turfgrass-costs.php/>.
- Turfgrass Resource Center. 2008. Natural grass and artificial turf: Separating myths and facts. Available at: <http://www.turfgrassod.org/webarticles/anmviewer.asp?a=130&z=37/>.
- National Football League Players Association. 2006. NFL layers playing surfaces opinion survey. Available at: [http://www.turfgrassod.org/webarticles/articlefiles/130-NFLPA\\_Players\\_Playing\\_Surface\\_Survey.pdf](http://www.turfgrassod.org/webarticles/articlefiles/130-NFLPA_Players_Playing_Surface_Survey.pdf)
- McNitt, A.S. 2005. Synthetic turf in the U.S.A. – trends and issues. International Turfgrass Society Research Journal 10:27-33.

- Epstein, V. 2007. Texas football succumbs to virulent staph infection from turf. Available at: <http://www.bloomberg.com/apps/news?pid=20601109&sid=alxhrJDn.cdc&refer=news>; Data compiled from the Texas Department of State Health Services, [http://www.dshs.state.tx.us/idcu/health/antibiotic\\_resistance/mrsa/](http://www.dshs.state.tx.us/idcu/health/antibiotic_resistance/mrsa/)
- Brakeman, L. 2004. Infill systems spark debate at STMA conference. Available at: <http://www.athleticturf.net/athleticturf/content/printContentPopup.jsp?id=85955> .
- Williams C.F., and G.E. Pulley. 2003. Synthetic surface heat studies. Available at: <http://cahe.nmsu.edu/programs/turf/documents/brigham-young-study.pdf> .
- McNitt, A.S., D.M. Petrunak, and T.J. Serensits. 2008. Temperature amelioration of synthetic turf surfaces through irrigation. Acta Hort. 783:573-581, ISHS 2008.

--

To subscribe to turf tips [click here](#).

To unsubscribe to turf tips [click here](#).